
Habitat code: 2320 Habitat name: Dry sand heaths with Calluna and Empetrum nigrum Habitat group: **dunes habitats** Regions: **ATL BOR CON**


Assessments of conservation status at the European level (all biogeographical regions - EU25)



MS	Biogeographic Region	Conservation status assessment						Trand
		Range	Area	Structure & function	Future prospects	Overall	Km ²	Trend in area
EU25	ATL						19	
EU25	BOR						13	x
EU25	CON						15	х

Heaths on sandy soils with heather (*Calluna vulgaris*) and crowberry (*Empetrum nigrum*) occurring on the plains of northern Europe in the Atlantic, Boreal and Continental regions. Assessed as 'unfavourable-bad' in all three regions and no country has assessed this habitat as 'favourable' in any region. Within the Atlantic region, Range is assessed as 'unknown' following the assessment from Germany but 'favourable' by the other countries in which it occurs. Many countries note habitat destruction and inappropriate management as responsible for the unfavourable conservation status.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Biogeographic Region	Conservation status assessment						Trend	Data
		Range	Area	Structure & function	Future prospects	Overall	Km ²	in area	quality
DE	ATL						5.1	-	3
DK	ATL						4	Х	3
NL	ATL						10	+	3
EE	BOR						0.4	=	1
FI	BOR						0.5	-	3
LT	BOR						2.1	-	3
LV	BOR						0.24	Х	3
SE	BOR						10	=	3
DE	CON						1	Х	3
DK	CON						10	Х	3
SE	CON						4		3

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at http://biodiversity.eionet.europa.eu/article17