


Species name: **Stellio stellio**
Annex: **IV**

Species group: **Amphibians & Reptiles**
Regions: **MED**

Assessments of conservation status at the European level (all biogeographical regions - EU25)



| MS | Region | Conservation status assessment | | | | | Population size & unit | Population Trend |
|------|--------|--------------------------------|------------|---------|------------------|---------|------------------------|------------------|
| | | Range | Population | Habitat | Future prospects | Overall | | |
| EU25 | MED | | | | | | | = |

The Rough-tailed agama occurs in south-western Asia, Greece and Egypt. It can be found on rocky slopes covered with shrubs, open woods or olive groves with dry rock walls.

It was reported only from the Mediterranean biogeographical region. The conservation status is 'favourable', range and population size are stable and no major threats were recorded.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



| MS | Region | Conservation status assessment | | | | | Size&unit | Population trend | Data quality |
|----|--------|--------------------------------|------------|---------|------------------|---------|-----------------|------------------|--------------|
| | | Range | Population | Habitat | Future prospects | Overall | | | |
| EL | MED | | | | | | 141 - 141 grids | = | 3 |

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>