




Species name: **Cucujus cinnaberinus**
Annex: **II, IV**

Species group: **Invertebrates**
Regions: **ALP ATL BOR CON MED PAN**

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	ATL						1 loc.	X
EU25	ALP						36 grids	
EU25	CON						132 grids	
EU25	MED						3 - 5 loc.	=
EU25	PAN						292 grids	
EU25	BOR						118 grids	

Cucujus cinnaberinus is a species of beetle that occurs in central and northern Europe, north of Spain and Italy.

Many individual parameters reported by the countries are 'unknown', showing that better information is required for this species. Its conservation status is 'unknown' in four of the six biogeographical regions where it appears. In Alpine region the overall assessment is 'unfavourable-bad'. In Continental region the status is 'unfavourable-inadequate', despite 'favourable' reporting from Germany and Czech republic.

It is listed as 'vulnerable' by IUCN, but it needs updating.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP	Unfavourable bad	Unfavourable bad	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	6 - 6 grids	X	3
DE	ALP	Favourable	Favourable	Favourable	Favourable	Favourable	5 - (5) x	=	3
PL	ALP	Unknown	Unfavourable - inadequate	Unknown	Unfavourable bad	Unfavourable - inadequate	(5) - 5 loc.	X	3
SI	ALP	Favourable	Unknown	Unknown	Unknown	Unknown	N/A x	X	3
ES	ATL	Unknown	Unknown	Unknown	Unknown	Unknown	1 - 1 loc.	X	3
EE	BOR	Favourable	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	2 - 2 colony	X	1
FI	BOR	Unfavourable - inadequate	Unfavourable bad	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	2 - 3 loc.	-	1
LT	BOR	Favourable	Unknown	Favourable	Unknown	Unknown	2000 - 3000 indiv.	X	3
LV	BOR	Favourable	Unknown	Favourable	Unknown	Unknown	3 - 3 loc.	X	3
SE	BOR	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	12 - 25 loc.	-	2
AT	CON	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	50 - 50 grids	X	2
CZ	CON	Favourable	Favourable	Favourable	Favourable	Favourable	44 - 44 loc.	+	3
DE	CON	Favourable	Favourable	Favourable	Favourable	Favourable	15 - (15) x	=	3
PL	CON	Unfavourable - inadequate	Unfavourable bad	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable bad	5 - 10 loc.	-	3
SI	CON	Favourable	Unknown	Unknown	Unknown	Unknown	N/A x	X	3
IT	MED	Unknown	Unknown	Unknown	Unknown	Unknown	3 - 5 loc.	=	2
CZ	PAN	Favourable	Favourable	Favourable	Favourable	Favourable	15 - 15 loc.	+	2
HU	PAN	Favourable	Favourable	Favourable	Favourable	Unknown	75 - 75 loc.	=	3
SK	PAN	Unknown	Unknown	Unknown	Unknown	Unknown	15 - 21 x	X	3

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the

period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>