
Habitats Directive Article 17 Reporting



Species name: Helix pomatia Species group: Invertebrates

Annex: V Regions: ALP ATL BOR CON MED PAN

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region		Conservation	ı status	Population	Regulation		
		Range	Population	Habitat	Future prospects	Overall	•	Population Trend
EU25	ALP						> 1202 grids	
EU25	BOR						230 - 300 loc.	+
EU25	CON						> 5411 grids	
EU25	MED						> 46 grids	
EU25	PAN						1287 grids	
EU25	ATL						405 grids	

The edible snail is distributed mainly across central and south-eastern Europe. It occurs in six biogeographical regions.

Species was assessed as 'favourable' in Atlantic, Boreal and Continental regions with some 'unknown' and 'unfavourable-inadequate' country reports not affecting the overall assessments. In Alpine region species status is 'favourable' in five countries. However, overall assessment is 'unfavourable-inadequate' due to report from Italy, where more than 25% of species range is located. Similar situation is found in the Pannonian region where the report form Hungary which hosts 84% of range results in the overall assessment 'unfavourable-inadequate'. For Mediteranean region overall conclusion is 'unknown' due to assessments in Greece and France, where more than 54.4% of its distribution area is located. Species was not evaluated by IUCN.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



		Conservation status assessment						Donulation	Dat-
MSRegion		Range	RangePopulation		Future prospects Overa		Size&unit	Population trend	Data qualit
АТ	ALP						44 - 44 grids	_	3
DE	ALP						30 - (30) x	Χ	3
FR	ALP						18 - 18 loc.	Χ	1
IT	ALP						280 - 508 loc.	-	2
PL	ALP						15000000 - 20000000 indiv.	=	1
SI	ALP						N/A x	<u> </u>	3
SK	ALP						100 - 200 loc.	+	3 2 3
BE	ATL						24 - (24) grids	Χ	
DE	ATL						128 - (128) x	=	1
FR	ATL						18 - 18 loc.	Χ	1
NL	ATL						19 - 25 grids	Χ	3
UK	ATL						51 - 51 x	_	1 3 3 2 3 1
EE	BOR						50 - 50 loc.	+	2
LT	BOR						80 - 150 loc.	=	3
LV	BOR						100 - 100 loc.	=	1
АТ	CON						137 - 137 grids	_	3
BE	CON						N/A grids	Χ	3
CZ	CON						290 - 290 grids	=	2
DE	CON						1878 - (1878) x	Χ	3 2 3 1
FR	CON						1 - 1 loc.	X	1
IT	CON						135 - 200 loc.	-	2
LU	CON						157 - 157 loc.	=	2 3 3
PL	CON						2000 - 4000 loc.	=	3
SI	CON						N/A ×	=	3
EL	MED						N/A ×	Χ	

MS	Region		nservation					Donulation	Data
		Range	Population	Habitat	Future prospects	Overall	Size&unit	Population trend	qualit
FR	MED						17 - 17 loc.	X	1
ΙT	MED						7 - 19 loc.	-	2
CZ	PAN						24 - 24 grids	=	2
ΗU	PAN						1046 - 1046 loc.	_	2
SK	PAN						50 - 100 loc.	+	2

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at http://biodiversity.eionet.europa.eu/article17