


Species name: **Leucorrhinia pectoralis**
Annex: **II, IV**

Species group: **Invertebrates**
Regions: **ALP ATL BOR CON PAN**

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	BOR	■	■	■	■	■	1599 grids	
EU25	CON	■	■	■	■	■	660 grids	
EU25	PAN	■	■	■	■	■	30 - 42 loc.	
EU25	ATL	■	■	■	■	■	180 grids	-
EU25	ALP	■	■	■	■	■	>53 grids	

The large white-faced darter occurs in many European countries.

The status of this species is highly variable and differs from country to country and geographical region. It is performing well in the Boreal region where its status was assessed as 'favourable'. In the Continental and Pannonian region its status was assessed as 'inadequate' and in the Alpine and Atlantic region it was assessed as 'bad'. Overall, this species is not performing very well, despite its 'favourable' status in the Boreal region. In nearly all countries south or west of Poland, where it is performing well, the status was assessed as 'inadequate' or 'bad'. Data from Spain are lacking.

**Assessments of conservation status as reported by Member states
(all biogeographical regions - EU25)**



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP	Green	Grey	Red	Red	Red	8 - 8 grids	X	3
ES	ALP	Grey	Grey	Grey	Grey	Grey	N/A x	N/A	
PL	ALP	Grey	Grey	Grey	Grey	Grey	3 - 3 loc.	X	3
SK	ALP	Red	Red	Orange	Orange	Red	6 - 7 loc.	-	2
DE	ALP	Grey	Orange	Orange	Grey	Orange	1 - (1) x	X	3
BE	ATL	Red	Red	Grey	Orange	Red	10 - 10 grids	=	3
DE	ATL	Red	Red	Red	Orange	Red	73 - (73) x	-	2
FR	ATL	Red	Red	Red	Orange	Red	N/A x	-	2
NL	ATL	Red	Red	Orange	Orange	Red	1000 - 1500 indiv.	=	3
EE	BOR	Orange	Green	Green	Green	Orange	5 - 10 grids	+	3
FI	BOR	Green	Green	Green	Green	Green	50 - 100 grids	+	2
LT	BOR	Green	Grey	Green	Green	Green	20000 - 30000 indiv.	X	2
LV	BOR	Green	Green	Green	Green	Green	49 - 49 loc.	=	2
SE	BOR	Green	Green	Green	Green	Green	1000 - 3000 loc.	=	3
AT	CON	Red	Red	Red	Red	Red	100 - 1000 indiv.	-	2
CZ	CON	Orange	Orange	Grey	Orange	Orange	108 - 108 loc.	+	2
DE	CON	Orange	Orange	Orange	Orange	Orange	301 - (301) x	-	2
DK	CON	Red	Red	Orange	Grey	Red	6 - 6 loc.	=	1
FR	CON	Red	Red	Red	Orange	Red	N/A x	-	1
IT	CON	Red	Red	Red	Orange	Red	3 - 10 loc.	-	2
PL	CON	Green	Green	Green	Green	Green	2600 - 3700 loc.	=	2
SE	CON	Green	Green	Green	Green	Green	100 - 500 loc.	=	3
SI	CON	Orange	Red	Red	Red	Red	9 - (9) grids	-	2
HU	PAN	Orange	Orange	Grey	Orange	Orange	20 - 30 loc.	X	2
SK	PAN	Green	Orange	Green	Orange	Orange	10 - 12 loc.	+	2

Data quality is based on an assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>