


Species name: **Dicranum viride**  
Annex: **II**

Species group: **Plants**  
Regions: **ALP ATL BOR CON PAN**


## Assessments of conservation status at the European level (all biogeographical regions - EU25)



MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	ATL						7 loc.	=
EU25	BOR						85 grids	
EU25	CON						550 grids	
EU25	PAN						77 - 97 colony	=
EU25	ALP						>211 loc.	

*Dicranum viride* is a moss species which is widely spread in Europe. In the Alpine, Boreal and Continental region its conservation status is 'unfavourable-inadequate'. In Germany it was stated as 'favourable' and in Sweden as 'unfavourable-bad'. In the Atlantic and Pannonian region its conservation status is 'unfavourable-bad'. However, the assessment was based on a limited amount of data, since in many countries it was stated as 'unknown'. The overall population trends mostly are stable, although the habitat trend is decreasing in some countries.

**Assessments of conservation status as reported by Member states  
(all biogeographical regions - EU25)**



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP	Unfavourable - inadequate	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	161 - 161 loc.	X	3
DE	ALP	Favourable	Favourable	Favourable	Favourable	Favourable	28 - (28) x	=	2
ES	ALP	Unknown	Unknown	Unfavourable bad	Unfavourable bad	Unfavourable bad	1 - 1 loc.	X	3
FR	ALP	Unknown	Unknown	Unknown	Unknown	Unknown	N/A loc.	N/A	
IT	ALP	Unfavourable - inadequate	Unfavourable - inadequate	Unknown	Unknown	Unknown	5 - 5 loc.	=	2
PL	ALP	Favourable	Unfavourable - inadequate	Unknown	Unknown	Unknown	10 - 10 loc.	=	2
SI	ALP	Favourable	Unknown	Unknown	Unknown	Unknown	12 - (12) loc.	X	3
SK	ALP	Unknown	Unknown	Unknown	Unknown	Unknown	1 - 4 loc.	X	3
FR	ATL	Favourable	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	Unfavourable bad	7 - 7 loc.	=	1
EE	BOR	Favourable	Favourable	Unknown	Unknown	Unknown	18 - 18 loc.	+	1
FI	BOR	Unfavourable - inadequate	Unfavourable - inadequate	Unknown	Unknown	Unknown	130 - (130) colony	=	1
LT	BOR	Favourable	Unfavourable - inadequate	Unknown	Unknown	Unknown	1 - 2 loc.	X	3
LV	BOR	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unknown	Unknown	15 - 20 loc.	=	2
SE	BOR	Unfavourable bad	Unfavourable bad	Favourable	Unknown	Unfavourable bad	39 - 39 x	=	1
AT	CON	Unfavourable - inadequate	Unknown	Unfavourable - inadequate	Unknown	Unknown	52 - 52 loc.	X	3
BE	CON	Unknown	Unknown	Unknown	Unknown	Unknown	1 - (1) grids	X	1
CZ	CON	Unknown	Unknown	Favourable	Favourable	Unknown	17 - 17 loc.	+	3
DE	CON	Unknown	Unknown	Unfavourable - inadequate	Unknown	Unknown	316 - (316) x	X	2
FR	CON	Favourable	Favourable	Favourable	Favourable	Favourable	N/A loc.	+	
LU	CON	Favourable	Favourable	Favourable	Favourable	Favourable	20 - (20) loc.	=	2
PL	CON	Unfavourable - inadequate	Favourable	Favourable	Unknown	Unknown	7 - 7 loc.	-	2
SI	CON	Favourable	Unknown	Unfavourable - inadequate	Unknown	Unknown	9 - (9) loc.	X	3
HU	PAN	Unfavourable bad	Unfavourable bad	Unfavourable - inadequate	Unknown	Unfavourable bad	77 - 97 colony	=	1

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium,

3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>