



## 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

---

<b>Habitat code</b>	9060
<b>Priority</b>	No
<b>Habitat group</b>	Forests
<b>Regions</b>	Boreal


Eskers are glaciofluvial gravel and sand formations which consist of relatively well sorted sediments, often forming ridges over 20 meters high. In terms of ecological factors they are more variable than the surrounding forest on flatter ground. Slope is an important factor.

The habitat occurs only in the Boreal region. The conservation status is "unfavourable bad". The area of habitat is decreasing in Sweden and the structure & function of the habitat are not "favourable" in any of the five countries. The composition of the undergrowth, whose diversity is a typical feature of this habitat is sensitive to atmospheric pollution and eutrophication.

# Habitat: 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the European biogeographical level



Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Area	Structure & Functions	Future prospects					
BOR	FV	U1	U2	U2	U2	-	100	U2	

See the endnote for more information<sup>i</sup>

# Habitat: 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the Member State level



### Habitat: 9060

Distribution and conservation status at the Member State level

- |                           |                        |
|---------------------------|------------------------|
| Favourable                | EU Member States       |
| Unfavourable - inadequate | Outside data coverage  |
| Unfavourable - bad        | Biogeographical region |
| Unknown                   |                        |

The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

# Habitat: 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

Report under the Article 17 of the Habitats Directive

MS Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Area	Structure & functions	Future prospects					
EE	BOR	FV	FV	U1	U1	=	2.0	U1	
FI	BOR	FV	FV	U2	U2	-	91.1	U2-	
LT	BOR	FV	FV	U1	U1	=	2.4	U1	Genuine
LV	BOR	FV	FV	U2	U2	-	0.7	U1-	Genuine
SE	BOR	FV	U2	U2	U2	-	3.7	U2-	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

## Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the habitats and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some habitats there were less than ten threats or pressures reported as highly important.

### Ten most frequently reported 'highly important' pressures

Code	Activity	Frequency
B02	Forest and plantation management & use	20
C01	Mining and quarrying	20
J01	Fire and fire suppression	20
K02	Vegetation succession/Biocenotic evolution	20
H04	Air pollution, air-borne pollutants	10
J03	Other changes to ecosystems	10

### Ten most frequently reported 'highly important' threats

Code	Activity	Frequency
K02	Vegetation succession/Biocenotic evolution	27
B02	Forest and plantation management & use	18
C01	Mining and quarrying	18
J01	Fire and fire suppression	18
H04	Air pollution, air-borne pollutants	9
J03	Other changes to ecosystems	9

# Habitat: 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

Report under the Article 17 of the Habitats Directive

## Proportion of population covered by the Natura 2000 network

Member States were asked to report the area of the habitat which is covered by the Natura 2000 network. The percentage of the habitat area covered by the network was estimated by comparing the area within the network and the total area in the biogeographical/marine region.

### Percentage of coverage by Natura 2000 sites in biogeographical/marine region

BOR	
EE	94
FI	4
LT	21
LV	57
SE	38

See the endnotes for more information<sup>ii</sup>

## Most frequently reported conservation measures

Member States were asked to report up to 20 conservation measures being implemented for this habitat using an agreed list which can be found on the Article 17 Reference Portal. Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many habitats there were less than ten measures reported as highly important.

### Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
6.1	Establish protected areas/sites	50
3.1	Restoring/improving forest habitats	33
3.2	Adapt forest management	17

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/habitat/summary/?group=Forests&period=3&subject=9060>

# Habitat: 9060 *Coniferous forests on, or connected to, glaciofluvial eskers*

Report under the Article 17 of the Habitats Directive

**i Assessment of conservation status at the European biogeographical level:** Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the habitat area occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.

**ii Percentage of coverage by Natura 2000 sites in biogeographical/marine region:** In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (\*). The value 'x' indicates that the Member State has not reported the habitat area and/or the coverage by Natura 2000. No information is available for Greece. The values are only provided for regions, in which the occurrence of the habitat has been reported by the Member States.