



## 5140 *Cistus palhinhae* formations on maritime wet heaths

---

<b>Habitat code</b>	5140
<b>Priority</b>	Yes
<b>Habitat group</b>	Sclerophyllous scrubs
<b>Regions</b>	Mediterranean

Low scrub and garrigue formations of the dolomitic tableland, karsts, sands and terra-rosas, rich in endemics (*Ulicetum erinacei*, *Genisto triacanthi-Cistetum palhinhae*) with characteristic plants: *Biscutela vicentina*, *Cistus palhinhae*, *Genista hirsuta* ssp. *algarbiensis*, *G. triacanthus*, *Juniperus turbinata*, *Serratula monardii* var. *algarbiensis* etc.

Overall conclusion “U1”, MED bioregion represented by one country, Portugal, however the information reported is uncompleted - Area surface and references are missing.


To the most important threats belong paths, tracks, cycling tracks, motorised vehicles and trampling, overuse.

The most important pressures are paths, tracks, cycling tracks, motorised vehicles and trampling, overuse.

# Habitat: 5140 *Cistus palhinhae* formations on maritime wet heaths

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the European biogeographical level




Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Area	Structure & Functions	Future prospects					
MED	XX	U1	U1	U1	U1	-	100	U1	

See the endnote for more information<sup>i</sup>

# Habitat: 5140 *Cistus palhinhae* formations on maritime wet heaths

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the Member State level



### Habitat: 5140

Distribution and conservation status at the Member State level

Favourable	EU Member States
Unfavourable – inadequate	Outside data coverage
Unfavourable – bad	Biogeographical region
Unknown	

The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

# Habitat: 5140 *Cistus palhinhae* formations on maritime wet heaths

Report under the Article 17 of the Habitats Directive

MS Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Area	Structure & functions	Future prospects					
PT MED	XX	U1	U1	U1	U1	-	100.0	U1	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

## Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the habitats and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes ‘high, medium and low importance’; the tables below only show threats and pressures classed as ‘high’, for some habitats there were less than ten threats or pressures reported as highly important.

### Ten most frequently reported ‘highly important’ pressures

Code	Activity	Frequency
D01	Roads, railroads and paths	33
G01	Outdoor sports, leisure and recreational activities	33
G05	Other human intrusions and disturbances	33

### Ten most frequently reported ‘highly important’ threats

Code	Activity	Frequency
D01	Roads, railroads and paths	33
G01	Outdoor sports, leisure and recreational activities	33
G05	Other human intrusions and disturbances	33

## Proportion of population covered by the Natura 2000 network

Member States were asked to report the area of the habitat which is covered by the Natura 2000 network. The percentage of the habitat area covered by the network was estimated by comparing the area within the network and the total area in the biogeographical/marine region.

### Percentage of coverage by Natura 2000 sites in biogeographical/marine region

MED
PT x

See the endnotes for more information<sup>ii</sup>

# Habitat: 5140 *Cistus palhinhae* formations on maritime wet heaths

Report under the Article 17 of the Habitats Directive

## Most frequently reported conservation measures

Member States were asked to report up to 20 conservation measures being implemented for this habitat using an agreed list which can be found on the Article 17 Reference Portal.

Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many habitats there were less than ten measures reported as highly important.

### Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
6.0	Other spatial measures	100

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/habitat/summary/?group=Sclerophyllous+scrubs&period=3&subject=5140>

# Habitat: 5140 *Cistus palhinhae* formations on maritime wet heaths

Report under the Article 17 of the Habitats Directive

**i Assessment of conservation status at the European biogeographical level:** Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as ‘unknown’. The percentage of the habitat area occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.

**ii Percentage of coverage by Natura 2000 sites in biogeographical/marine region:** In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (\*). The value ‘x’ indicates that the Member State has not reported the habitat area and/or the coverage by Natura 2000. No information is available for Greece. The values are only provided for regions, in which the occurrence of the habitat has been reported by the Member States.