Report under the Article 17 of the Habitats Directive Period 2007-2012

European Environment Agency *European Topic Centre on Biological Diversity*



Mandragora officinarum

Annex IV Priority No

Species group Vascular plants **Regions** Mediterranean

The plant *Mandragora officinarum* is a Mediterranean endemic, occuring in Cyprus, Croatia, Bosnia and Herzegovina, Turkey and Middle east. Extinct in Italy. Reported only by Cyprus, Mediterranean region. The species is widespread, especially in the lowlands. It grows in dry, rocky habitats and roadsides and other types of secondary habitats. The IUCN European Red List classifies the species as Endangered (EN).

The conservation status is "Favourable", as for all parameters, but the national assessment from Cyprus deped mostly on expert judgment.


The species is threatened mostly by cultivation and discontinuous urbanisation.

The species was not reported from Mediterranean region 2001-06.

Species: Mandragora officinarum


Report under the Article 17 of the Habitats Directive

Assessment of conservation status at the European biogeographical level



See the endnote for more informationⁱ

Assessment of conservation status at the Member State level



The map shows both Conservation Status and distribution using a $10 \text{ km} \times 10 \text{ km}$ grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

Species: Mandragora officinarum

Report under the Article 17 of the Habitats Directive

MS Region	Conservation status of parameters				Current	Trend in	% in	Previous	Reason
	Range	Population	Habitat	Future prospects	Current CS	CS	region	CS	for change
CY MED	FV	FV	FV	FV	FV		100.0		Better data

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the Article 17 Reference Portal. Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

Ten most frequently reported 'highly important' pressures

Code Activity	Frequency							
No 'highly important' pressures were reported.								
Ten most frequently reported 'highly important' threats								
Code Activity	Frequency							
No 'highly important' threats were reported.								

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at: http://bd.eionet.europa.eu/article17/reports2012/species/summary/? group=Vascular+plants&period=3&subject=Mandragora+officinarum

Species: Mandragora officinarum

Report under the Article 17 of the Habitats Directive

Assessment of conservation status at the European biogeographical level: Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.